L Number	Hits	Search Text	DB	Time stamp
1	0	("power pc" ppc) near10 master near10 pci	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:23
2	32	("power pc" ppc) near10 master$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:25
5	39	("power pc" ppc powerpc) near10 master$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 10:02
12	11	("4317154" | "4453215" | "4793903" | "4933846" | "5325517" | "5335352" | "5398331" | "5543347" | "5639976" | "6134624").PN.	USPAT	2004/01/13 09:42
14	1187	714/10-13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 10:03
15	1	(pci near3 bridge near10 grant near5 bus) & 714/10-13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 10:03
13	62	pci near3 bridge near10 grant near5 bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 10:09
16	377	pci near10 grant near5 bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 10:11
17	4229	redundant near5 (processing processor processors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 10:10
18	4	(pci near10 grant near5 bus) & (redundant near5 (processing processor processors))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 10:10
19	591	pci near5 grant$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 10:11
20	7	(redundant near5 (processing processor processors)) & (pci near5 grant$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 10:23
29	17	grant$ & arbitrat$ & pci & 714/10-13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 10:33
-	2	2002017972O.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 07:33

L Number	Hits	Search Text	DB	Time stamp
-	2	2002002309.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:14
-	16335	(fault error) near5 transfer$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:16
-	274	fifo & active & (redundant near5 (processing processor processors))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:16
-	36	(fifo & active & (redundant near5 (processing processor processors))) & ((fault error) near5 transfer$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:35
-	60	warm adj1 (standby "stand-by")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 14:57
-	6326	active near7 (standby "stand-by")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:53
-	210	(redundant near5 (processing processor processors)) & (active near7 (standby "stand-by")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 09:53
-	43	fifo & ((redundant near5 (processing processor processors)) & (active near7 (standby "stand-by")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:03
-	2136	cache near5 snoop$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:03
-	14	(redundant near5 (processing processor processors)) & (cache near5 snoop$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:13
-	2	(active near7 (standby "stand-by")) & (cache near5 snoop$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:13
-	6450	redundant near5 (processing processor processors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:29
-	62	snoop$ & (redundant near5 (processing processor processors))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:42
-	294	714/13.ccls.\	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:42

	Count	Query	Databases	Date
-	294	714/13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:42
-	18	fifo & 714/13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:46
-	0	snoop$ & fifo & 714/13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:46
-	7	snoop$ & 714/13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:57
-	833	714/10-11.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 13:57
-	11	714/10-11.ccls. & snoop$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 14:54
-	4611	cache$1 near5 coheren$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 14:55
-	37	714/10-13.ccls. & (cache$1 near5 coheren$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 14:56
-	14	(standby "stand-by") & (714/10-13.ccls. & (cache$1 near5 coheren$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 15:16
-	67	(standby "stand-by") & cache & 714/10-13.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 10:22
-	15	fifo & ((standby "stand-by") & cache & 714/10-13.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:54
-	33	arbitrat$ & ((standby "stand-by") & cache & 714/10-13.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 16:55
-	13	arbitrat$ & ((standby "stand-by") & cache & 714/10-13.ccls.) & pci	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:42
-	2052	"power pc"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:44

	Count	Query	Databases	Date
-	1	(redundan$ near5 (processing processor processors)) & "power pc" & (cache$1 near5 coheren$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:43
-	100	(redundan$ near5 (processing processor processors)) & "power pc"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:43
-	208	"power pc" & arbitrat$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:44
-	0	("power pc" ppc) adj1 (bus buses) near10 arbitrat$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 17:44
-	1	("power pc" ppc) near5 (bus buses) near10 arbitrat$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:23

Google™

Advanced Search   Preferences   Language Tools   Search Tips

"powerpc" bus master standard s [Google Search]

Web · Images · Groups · Directory · News ·

Searched the web for "powerpc" bus master standard specification. Results 21 - 30 of about 8,340. Search to

[pdf] V292PBC
File Format: PDF/Adobe Acrobat
... M68040/60 ™, SA-110 ™ and PowerPC ™ 403Gx/403GCx ... and the industry standard
PCI Bus i Fully ... I Configurable for primary master, bus master, or target ...
www.quicklogic.com/images/29pbc_tb.pdf - Similar pages
[More results from www.quicklogic.com]

[pdf] VS750 VS750
File Format: PDF/Adobe Acrobat - View as HTML
... D32 and D64 block transfers as both master and slave .... directly to the 32-bit PCI local
bus for synchronous .... COP Interface JTAG/COP Interface The PowerPC JTAG and ...
www.dna-cs.com/products/products/pdfs/VS750%20with%20watermark.pdf - Similar pages

AllianceCORE Profile - Eureka Technology
... EC240, 64-bit PCI Master/Target. * ... EC300, PCI Bus Arbiter. * EC150, PCI-ISA
Bridge. * EP440, PCI-PCI Bridge. * PowerPC Bus Interfaces. EP100, PowerPC Bus Slave. ...
support.xilinx.co.jp/products/logicore/alliance/eureka/eureka.htm - 33k - Cached - Similar pages

BeBox Dual603 Technical Specifications
... There are two PowerPC 603/603e processors on the ... and SCSI interrupts may be routed
to standard ISA interrupts. ... Developers should look to PCI bus master cards for ...
www.beatjapan.org/mirror/www.be.com/products/bebox/dual603spec.html - 24k - Cached - Similar pages

[pdf] Power Performance
File Format: PDF/Adobe Acrobat - View as HTML
... host Controller • Full 32-bit PCI bus master • bootable integrated ..... 6.4" •
Height: 62 mm / 2.4" (standard) 78 mm .... Ill a well as PowerPC ☐ If support ...
www.quantum.com.pl/pliki/MPL_PIP5.pdf - Similar pages

Emulex LP9002L Datasheet
... FCP: Fibre Channel protocol for SCSI standard PCI: Local ... ASIC technology up to 66MHz
PCI bus master DMA 2Gb ... x86, SPARC and PowerPC PCI hardware platforms 3.3 or ...
www.emulex.com/products/fc/lp9002l.html - 16k - Cached - Similar pages

Thales Computers Rugged COTS VME Embedded Systems - VMPC6a PowerPC ...
... CPU, Processor, One or two PowerPC 750. ... ECC, Standard, Cache Memory, 2 MB per processor
(on processor-dedicated bus). ... D64:MBLT/D32:BLT/D16/D08 master/slave. ...
www.cetia.com/vmpc6a.asp - 62k - Cached - Similar pages

Thales Computers Rugged COTS VME Embedded Systems - VMPC6c PowerPC ...
... CPU, Processor, One or two PowerPC 7410 (G4/AltiVec) ... Cache Memory, 2 MB per processor
(on processor-dedicated bus). ... D64:MBLT/D32:BLT/D16/D08 master/slave. ...
www.cetia.com/vmpc6c.asp - 62k - Cached - Similar pages
[More results from www.cetia.com]

eLibrary

... some of the underlying specifications supported in ... bus structures defined in the Firewire
standard. ... PCI) interfaces, providing bus-master controller capability ...
www.commsdesign.com/main/2001/01/0101stand.htm - 42k - Cached - Similar pages

[pdf] PrPMC610 Processor PMC data sheet
File Format: PDF/Adobe Acrobat - View as HTML
... Base Board Ethernet 10/100BaseT PowerPC Architecture Bus ... Module Type: Single-wide.
standard type Controller: Intel 82559ER PCI Bus Master: Yes, with ...
mcg.motorola.com/us/ds/pdf/ds01182.pdf - Similar pages
[More results from mcg.motorola.com]

Result Page: Previous 1 2 3 4 5 6 7 8 9 10 11 12 Next

◄ Goooooooooooogle ►

"powerpc" bus master standard s [Google Search]   Search within results

Google Home - Advertise with Us - Business Solutions - Services & Tools - Jobs, Press, & Help

©2004 Google